



Agriculture and
Agri-Food Canada

Agriculture et
Agroalimentaire Canada

Canada

Français	Contact Us	Help	Search	Canada Site
AAFC Online	Links	Newsroom	What's New	Site Index
National Science Programs				

National Science Programs

- Scientists
- Industry
- Media
- Youth
- Online Publications
- Centres

Corn

1. Alexander, R. J. (1987) Corn dry milling: Processes, products, and applications. In: Corn: Chemistry and Technology. S. A. Watson and P. E. Ramstad, eds. American Soc. Cereal Chemists, Inc. pp. 351-376
2. Alexander, R. J. (1973) Industrial uses of dry-milled corn products. In: Industrial uses of cereals. Y. Pomeranz, ed. St. Paul, MN.: Amer. Assoc. Cereal Chem. pp. 303-315
3. Alston, J. M.; Beach, E. D. (1996) Market distortions and the benefits from research into new uses for agricultural commodities: Ethanol from corn. Resource Energy Econ. 18:1-29
4. Amarty, S.; Jeffries, T. W. (1994) Comparison of corn steep liquor with other nutrients in the fermentation of D-xylose by *Pichia-stipitis* CBS - 6054. Biotechnol. Lett. 16:211-214
5. Anderson, N. E.; Clydesdale, F. M. (1980) Dietary fiber content of corn bran. J. Food Protection 43:760-762
6. Andres, C. (August 1979) Full-fat toasted corn germ has excellent shelf-life. Food Eng. p. 48-49
7. Anonymous (July 1975) The development of a high protein isolate from selected distillers by-products. Final Report on NSF Grain No. AER74-10456 A01, Univ. Nebraskapp. pp. 68-105
8. Anonymous. (1992) Advanced milling process extracts maximum value from corn. Industrial Bioprocessing. 14:2-3
9. Anonymous (1994) New method converts whey-corn mix into ethanol more efficiently. Cheese Reporter 119:3
10. Anonymous (Aug. 1993) Using distiller's dried grain from corn in baked goods. Extension. Extra. Brookings, S. D.: Cooperative Extension service. S. D. State Univ. ExEx 14030:2 pp.
11. Anonymous (Feb. 14, 1977) Corn bran flour fiber introduced by Tabor Milling Company. Brew. Bull.
12. Baynast, R. De (1991) Raw materials actually available for industrial non food exploitations. Industries Alimentaires et Agricoles. Lecture given at an International symposium of CIIA (Commission Internationale des Industries Agricoles et Alimentaires), Paris, France, 20-21 Nov. 1991. 108:1067-1074
13. Beaulieu, Y.; Goodyear, T. (1985) Potential for ethanol production from agricultural feedstocks for use in alcohol - gasoline blends. Inputs and Technology Division, Regional Development Branch, Agriculture Canada; Ottawa 63 pp.
14. Bennett, G. A.; Lagoda, A. A.; Shotwell, O. L.; Hesseltine, C. W. (1981) Utilization of zearalenone-contaminated corn for ethanol production. J. Amer. Oil Chem. Soc.

- 58:974-976
15. Bennett, G. A.; Richard, J. L. (1996) Influence of processing on *Fusarium* mycotoxins in contaminated grains. *Food Technol.* 50:235-238
 16. Bento, J. A.; Fleming, H. L. (1993) Membrane-based process for the recovery of lactic acid and glycerol from a corn thin stillage stream. U.S. Patent 5,250,182
 17. Biss, R.; Cogan, U. (1996) Sulfur dioxide in acid environment facilitates corn steeping. *Cereal Chem.* 73:40-44
 18. Blessin, C. W. et al (1979) Preparation and properties of defatted flours from dry-milled yellow, white, and high lysine corn germ. *Cereal Chem.* 58:105-109
 19. Blessin, C. W.; Garcia, W. J.; Deatherage, W. L.; Cavins, J. F.; Inglett, G. E. (1973) Composition of three food products containing defatted corn germ flour. *J. Food Sci.* 38:602-606
 20. Blessin, C. W.; Garcia, W. J.; Deatherage, W. L. (1974) An edible defatted germ flour from a commercial dry-milled corn fraction. *Cereal Sci. Today* 19:224-225,248
 21. Blessin, C. W.; Inglett, G. E.; Garcia, W. J.; Deatherage, W. L. (1972) Defatted germ flour - food ingredient from corn. *Food Prod. Develop.* 6:34-35
 22. Bookwalter, G. N.; Warner, K.; Wall, J. S.; Wu, Y. V. (1984) Corn distillers' grains and other by-products of alcohol production in blended foods. II. Sensory, stability, and processing studies. *Cereal Chem.* 61:509-513
 23. Bookwalter, G. N.; Warner, K.; Wu, Y. V. (1988) Processing corn distillers' grains to improve flavor: Storage stability in corn-soy-milk blends. *J. Food Sci.* 53:523-526
 24. Bothast, R. J. (1994) Genetically engineered microorganisms for the conversion of multiple substrates to ethanol. *Proc. Corn Util. Conf. V., St. Louis, MP.*
 25. Bothast, R. J.; Bennett, G. A.; Vancauwenberge, J. E.; Richard, J. L. (1992) Fate of fumonisin B1 in naturally contaminated corn during ethanol fermentation. *Appl. Environ. Microbiol.* 58:233-236
 26. Bothast, R. J.; Nofsinger, G. W.; Lagoda, A. A.; Black, L. T. (1982) Integrated process for ammonia inactivation of aflatoxin-contaminated corn and ethanol fermentation. *Appl. Environ. Microbiol.* 43:961-963
 27. Brown, L. M.; Zayas, J. F. (1990) Corn germ protein flour as an extender in broiled beef patties. *J. Food Sci.* 55:888-892
 28. Buck, J. S.; Walker, C. E.; Watson, K. S. (1987) Incorporation of corn gluten meal and soy into various cereal-based foods and resulting product functional, sensory, and protein quality. *Cereal Chem.* 64:264-269
 29. Canolty, N. L. et al (1977) A research note: relative protein value of defatted corn germ flour. *J. Food Sci.* 42:269-270
 30. Cao, N. G.; Xu, Q.; Ni, J.; Chen, L.-F. (1996) Enzymatic hydrolysis of corn starch after extraction of corn oil with ethanol. *Appl. Biochem. Biotechnol.* 57/58:39-47
 31. Cemcorp Ltd. (1992) Ethanol fuel from Ontario grain. A strategy for Ontario to reduce carbon dioxide emissions and improve energy efficiencies. 115 pp.

32. Chan, E.; Chen, C. S.; Gong, C. S.; Chen, L. F. (1991) Production, separation and purification of yeast invertase as a by-product of continuous ethanol fermentation. *Appl. Microbiol. Biotechnol.* 36:44-47
33. Chan, E. C.; Chen, C. S.; Chen, L. F. (1992) Recovery of yeast invertase from ethanol fermentation broth. *Biotechnol. Lett.* 14:573-576
34. Chang, D.; Hojillaevangelista, M. P.; Johnson, L. A.; Myers, D. J. (1995) Economic-engineering assessment of sequential extraction processing of corn. *Trans ASAE* 38:1129-1138
35. Cheng, P.; Mueller, R. E.; Jaiger, S.; Bajpai, R.; Ianotti, E. L. (1991) Lactic acid production from enzyme-thinned corn starch using *Lactobacillus amylovorus*. *J. Ind. Microbiol.* 7:27-34
36. Cheryan, M.; Parekh, S. R. (1994) Separation of glycerol and organic acids in model ethanol stillage by electro dialysis and precipitation. *Process Biochem.* 30:17-23
37. Chien, J. T.; Hoff, J. E.; Chen, L. F. (1988) Simultaneous dehydration of ninety-five percent ethanol and extraction of crude oil from ground corn. *Cereal Chem.* 65:484-486
38. Christianson, D. D.; Friedrich, J. P.; List, G. R.; Warner, K.; Bagley, E. B.; Stringfellow, A. C.; Inglett, G. E. (1984) Supercritical fluid extraction of dry-milled corn germ with carbon dioxide. *J. Food Sci.* 49:229-232,272
39. Cunningham, R. L. (1994) Hydrophilic foams containing corn products for horticultural use. *J. Appl. Polymer Sci.* 51:1311-1317
40. Dale, B. E. (1991) Ethanol production from cereal grains. *Food Sci. Technol. Handbook of Cereal Sci. and Technol.* K. J. Lorenz and K. Kulp, eds. New York: Marcel Dekker, Inc. 41:863-870
41. D'Appolonia, B. L. (1973) Structure and composition of cereal non-starch polysaccharides as related to their potential industrial utilization. In: *Industrial uses of cereals*. Y. Pomeranz, ed. St. Paul, MN.: Amer. Assoc. Cereal Chem. pp. 138-160
42. Doelle, M. B.; Millichip, R. J.; Doelle, H. W. (1989) Production of ethanol from corn using inoculum cascading of *Zymomonas mobilis*. *Process Biochem.* 24:137-140
43. Dombink-Kurtzman, M. A.; Bietz, J. A. (1993) Zein composition in hard and soft endosperm of maize. *Cereal Chem.* 70:105-108
44. Dong, F. M.; Rasco, B. A. (1987) The neutral detergent fiber, acid detergent fiber, crude fiber and lignin contents of distillers dried grains with solubles. *J. Food Sci.* 52:403-405, 410
45. Dong, F. M.; Rasco, B. A.; Gazzaz, S. S. (1987) A protein quality assessment of wheat and corn distillers' dried grains with solubles. *Cereal Chem.* 64:327-332
46. Dowd, M. K.; Reilly, P. J.; Trahanovsky, W. S. (1993) Low molecular weight organic composition of ethanol stillage from corn. *Cereal Chem.* 70:204-209
47. Du, L.; Li, B.; Lopes-Filho, J. F.; Daniels, C. R.; Eckhoff, S. R. (1996) Effect of selected organic and inorganic acids on corn wet milling yields. *Cereal Chem.* 73:96-98

48. Duvall, L. F. (1982) Corn bran expanded cereal. U.S. Patent 4,350,714
49. Eaton, D. C.; Gabelman, A. (1995) Fed-batch and continuous fermentation of *Selenomonas ruminantium* for natural propionic, acetic and succinic acids. *J. Ind. Microbiol.* 15:32-38
50. Fairlie, M. J.; LaRochelle, M. C. S.; Atkinson, J. L.; Dauglis, A. J. (1994) An assessment of the impact of extractive fermentation on dry grinding operations and by-products quality. Report prepared for Agriculture Canada, Dept. Chem. Eng., Queen's Univ. 159 pp.
51. Eaton, D. C.; Gabelman, A. (1995) Fed-batch and continuous fermentation of *Selenomonas ruminantium* for natural propionic, acetic and succinic acids. *J. Ind. Microbiol.* 15:32-38
52. Eckhoff, S. R.; Rausch, K. D.; Fox, E. J.; Tso, C. C.; Wu, X.; Pan, Z.; Buriak, P. (1993) A laboratory wet milling procedure to increase reproducibility and accuracy of product yields. *Cereal Chem.* 70:723-727
53. Feldberg, C. (1965) Corn gluten, a new ingredient for bakery products. *Cereal Sci. Today* 10:18
54. Forward, P. (August, 1994) Beyond ethanol: Industrial uses of agricultural materials. A background and opportunities paper. Food Bureau, Market and Industry Services Branch, Agriculture and Agri-Food Canada. 55 pp.
55. Fox, E. J.; Johnson, L. A.; Hurburgh, C. R. Jr.; Dorsey-Redding, C.; Bailey, T. B. (1992) Relations of grain proximate composition and physical properties to wet-milling procedure to increase reproducibility and accuracy of product yields. *Cereal Chem.* 69:191-197
56. Friedman, M. (1973) Reactions of cereal proteins with vinyl compounds. In: Industrial uses of cereals. Y. Pomeranz, ed. St. Paul, MN.: Amer. Assoc. Cereal Chem. pp. 237-251
57. Garcia, W. J.; Gardner, H. W.; Cavins, J. F.; Stringfellow, A. C.; Blessin, C. W.; Inglett, G. E. (1972) Composition of air-classified defatted corn and wheat germ flours. *Cereal Chem.* 49: 499-507
58. Gardner, H. W.; Inglett, G. E.; Deatherage, W. L.; Kwolek, W. F.; Anderson, R. A. (1971) Food products from corn germ: Evaluation as a food supplement after roll-cooking. *J. Food Sci.* 36:640-644
59. Gennadios, A.; Weller, C. L. (1994) Moisture adsorption by grain protein films. *Trans. ASAE.* 37:535-539
60. Gleason, WJ; Traylor, HD; Gerdes, DL (1987) Industrial uses of corn. AEA Information Series, Department of Agricultural Economics and Agribusiness, -Louisiana-State-University. 56:32 pp.
61. Guimaraes, W. V.; Ohta, K.; Burchhardt, G.; Ingram, L. O. (1992) Ethanol production from starch by recombinant *Escherichia coli* containing integrated genes for ethanol production and plasmid genes for saccharification. *Biotechnol. Lett.* 14:415-420
62. Guvenilir, Y. A.; Deveci, N. (1996) Production of acetone-butanol-ethanol from corn mash and molasses in batch fermentation. *Appl. Biochem. Biotechnol.* 56:181-188
63. Han, I. Y.; Steinberg, M. P. (1989) Simultaneous

- hydrolysis and fermentation of raw dent and high lysine corn and their starches. *Biotechnol. Bioeng.* 33:906-911
64. Hayman, G. T.; Mannarelli, B. M.; Leathers, T. D. (1993) Production of carotenoids by *Phaffia rhodozyma* grown on media composed of corn wet milling by products. *Natl. Cent. Agric. Utilization Res., ARS, UDSA, Peoria, IL, USA*
65. Hayman, G. T.; Mannarelli, B. M.; Leathers, T. D. (1995) Production of carotenoids by *Phaffia rhodozyma* grown on media composed of corn wet-milling co-products. *J. Ind. Microbiol.* 14: 389-395
66. Herald, T. J.; Hachmeister, K. A.; Huang, S.; Bowers, J. R. (1996) Corn zein packaging materials for cooked turkey. *J. Food Sci.* 61:415-417
67. Hespell, R. B. (1996) Fermentation of xylan, corn fiber or sugars to acetoin and butanediol by *Bacillus polymyxa* strains. *Current Microbiol.* 32:291-296
68. Hohmann, N. (1993) Technology lowers ethanol costs. *Agricultural Outlook.* 197:29-31
69. Hojilla-Evangelista, M. P. (1990) Sequential Extraction Processing of flaked whole corn: Alternative corn technology for corn wet-milling. Ph.D. Dissertation, Iowa State University, Ames, IA. (University Microfilms order no. DA-9035083)
70. Hojilla-Evangelista, M. P.; Johnson, L. A.; Myers, D. J. (1992a) Sequential Extraction Processing of flaked whole corn: Alternative corn fractionation technology for ethanol production. *Cereal Chem.* 69:643-647
71. Hojilla-Evangelista, M. P.; Johnson, L. A.; Myers, D. J. (1992b) Sequential Extraction Process: A new approach to corn fractionation using ethanol. In: *Liquid Fuels from Renewable Resources, ASAE Proc. of the Alternative Energy Conf. Dec. 14-15, 1992. Nashville, Tenn.* pp. 179-188
72. Hojilla-Evangelista, M. P.; Myers, D. J.; Johnson, L. A. (1992c) Characterization of protein extracted from flaked, defatted, whole corn by the Sequential Extraction Process. *J. Amer. Oil Chem. Soc.* 69:199-204
73. Huang, C. J.; Zayas, J. F. (1991) Phenolic acid contributions to taste characteristics of corn germ protein flour products. *J. Food Sci.* 56:1308-1310
74. Hull, S. R.; Gray, J. S. S.; Koerner, T. A. W.; Montgomery, R. M. (1995) Trehalose as a common industrial fermentation byproduct. *Carbohydr. Res.* 266:147-152
75. Hull, S. R.; Montgomery, R. (1995) Myoinositol phosphates in corn steep water. *J. Agric. Food Chem.* 43:1516-1523
76. Hull, S. R.; Yang, B. Y.; Venzke, D.; Kulhavy, K.; Montgomery, R. (1996) Composition of corn steep water during steeping. *J. Agric. Food Chem.* 44:1857-1863
77. Inglett, G. E.; Blessin, C. W. (1979) Food applications of corn germ protein products. *J. Amer. Oil Chem. Soc.* 56:479-481
78. Inlow, D.; McRai, J.; Ben-Basset, A. (1988) Fermentation of corn starch to ethanol with genetically engineered yeast. *Biotechnol. Bioeng.* 32:227-234
79. Ishihara, N.; Nakagawa, K.; Saito, F.; Uenakai, K.; Kuga, H.; Ejima, A.; Mitsui, I.; Sato, K. (1993) Antitumor

activities of ketol forms of unsaturated fatty acids from a water extract of corn grain. *J. Agric. Chem. Soc. Japan.* 67:1411-1416

80. Jane, J.; Lim, S.; Paetau, I.; Spence, K.; Wang, S. (1994) Biodegradable plastics made from agricultural biopolymers. *Polymers From Agricultural Coproducts.* ACS Symp. Series. Vol. 575. pp. 92-100
81. Julian, G. S.; Bothast, R. J.; Krull, L. H. (1990) Glycerol accumulation while recycling thin stillage in corn fermentations to ethanol. *J. Ind. Microbiol.* 5:391-394
82. Kampen, W. H. (1986) The extraction of corn proteins and the production of ethanol/glycerol or neutral solvents. In: *Proc. International Conf. on Fuel Alcohols and Chemicals from Biomass.* W. H. Kampen, ed. Miami, Florida: Denison Newspapers, Inc. pp. 211-215
83. Kawabata, C.; Komai, T.; Gocho, S. (1996) Elimination of bitterness of bitter peptides by squid liver carboxypeptidase. In: *Biotechnology for Improved Foods and Flavours.* ACS Symp. Ser. 637. Chapter 15. pp. 169-172
84. Karlovic, D. J.; Bocevaska, M.; Jakovleciv, J.; Turkulov, J. (1994) Corn germ oil extraction by a new enzymatic process. *Acta Alimentaria.* 23:389-400
85. Keim, C. R. (May, 1979) Economics of ethanol and d-glucose derived from corn. *American Chem. Soc. Proc.*
86. Keim, C. R.; Venkatasubramanian (1989) Economics of current biotechnological methods of producing ethanol. *TIBTECH (Trends in Biotechnology)* 7:22-29
87. Kim, C. H.; Maga, J. A.; Martin, J. T. (1989) Properties of extruded dried distillers' grains and flour blends. *J. Food Process. Preserv.* 13:219-231
88. Koeseoglu, S. S.; Rhee, K. C.; Lusas, E. W. (1991) Membrane separations and applications in cereal processing. *Cereal Foods World* 36:376-383
89. Kogl, H. (1984) Micro economic principles for profitable bio ethanol production. *Landbauforschung Volkenrode.* 34:115-122
90. Kollacks, W. A.; Rekers, C. J. N. (1988) Five years of experience with the application of reverse osmosis on light middlings in a corn wet milling plant. *Starch/Starke* 40:88
91. Koren, D. W.; Duvnjak, Z. (1989) Continuous production of very enriched fructose syrup by the conversion of glucose to ethanol from glucose-fructose mixtures in an immobilized cell reactor. *International J. Food Sci. Technol.* 24:429-437
92. Krochta, J. M.; Look, K. T.; Hudson, J. S.; Pavlath, A. E. (1981) Extraction with ethanol as an energy-saving alternative to conventional drying of corn starch. *J. Food Sci.* 46:1054-1058, 1063
93. Lai, H.; Padua, G. W.; Wei, L. S. (1997) Properties and microstructure of zein sheets plasticized with palmitic and stearic acids. *Cereal Chem.* 74:83-90
94. Lawford, H. G.; Rousseau, J. D. (1996) Studies on nutrient requirements and cost-effective supplements for ethanol production by recombinant *E. coli*. *Appl. Biochem. Biotechnol.* 57/8:307-326
95. Leathers, T. D.; Gupta, S. C. (1994) Production of

- pullulan from fuel ethanol byproducts by *Aureobasidium* sp straw NRRL Y-12, 974. *Biotechnol. Lett.* 16:1163-1166
96. Leathers, T. D.; Gupta, S. C. (1996) Saccharification of corn fiber using enzymes from *Aureobasidium*, sp. strain NRRL Y-2311-1. *Appl. Biochem. Biotechnol.* 59:337-347
 97. Lee, H.; Glauber, JW; Sumner, DA (1994) Increased industrial uses of agricultural commodities: policy, trade and ethanol. *Contemporary Economic Policy.* 12:22-32
 98. Lee, W. J.; Sosulski, F. W.; Sokhansanj, S. (1991) Yield and composition of soluble and insoluble fractions from corn and wheat stillages. *Cereal Chem.* 68:559-562
 99. Lillehoj, E. B. (1978) Use of mycotoxin contaminated grain in the ethanol fermentation process. *Distillers Feed Research Council Proceedings (USA).* 33:23-29
 100. Liu, D. L. Y.; Christians, N. E.; Garbutt, J. T. (1994) Herbicidal activity of hydrolyzed corn gluten meal on three grass species under controlled environments. *J. Plant Growth Reg.* 13:221-226
 101. Lusas, E. W.; Rhee, K. C.; Lawhon, J. T. (Dec. 9-11, 1985) Recovery and utilization potential of proteins from corn and other cereals in alcohol production. *International Conf. on Ethanol from biomass, Netherlands, Antilles*
 102. Maiorella, BL; Blanch, HW; Wilke, CR (1983) Distillery effluent treatment and by product recovery. *Process Biochem.* 18: 5-8
 103. Maisch, W. F. (1987) Fermentation processes and products. In: *Corn: Chemistry and Technology.* S. A. Watson and P. E. Ramstad, eds. American Soc. Cereal Chemists, Inc. pp. 553-574
 104. Martinez, B. E.; Sevilla, P. E.; Bjarnason, M. (1996) Wet-milling comparison of quality protein maize and normal maize. *J. Sci. Food Agric.* 71:156-162
 105. May, J. B. (1987) Wet milling: Process and products. In: *Corn: Chemistry and Technology,* S. A. Watson and P. E. Ramstad, eds. St. Paul, MN.: Amer. Assoc. Cereal Chem. pp. 377-397
 106. Mestres, C.; Matencio, F. (1996) Biochemical basis of kernel milling characteristics and endosperm vitreousness of maize. *J. Cereal Sci.* 24:283-290
 107. McCurdy, S. M. (1986) Assessment of protein byproducts recovery techniques and feasibility from the fuel ethanol processing of conventional and unconventional crops. *Final Report, Engineering and Statistical Research Instit. File # 34SZ.01843-2-EL15, Agriculture Canada, Ottawa, ON.* 194 pp.
 - ✓ 108. Mistry; A. H.; Steinberg, M. P.; Eckhoff, S. R. (1992) Fractionation of high-lysine corn to produce edible by-products. *Cereal Chem.* 69:433-435
 109. Molina, O.; Fitzsimons, R.; Perotti, N. (1993) Effect of corn steep liquor on xanthan production by *Xanthomonas campestris*. *Biotechnol. Lett.* 15:495-498
 110. Moniruzzaman, M.; Dien, B. S.; Ferrer, B.; Hespell, R. B.; Dale, B. E.; Ingram, L. O.; Bothast, R. J. (1996) Ethanol production from AFEX pretreated corn fiber by recombinant bacteria. *Biotechnol. Lett.* 18:985-990
 - ✓ 111. Moreau, R. A.; Powell, M. J.; Hicks, K. B. (1996) Extraction and quantitative analysis of oil from commercial corn fiber. *J. Agric. Food Chem.* 44:2149-

- 2154
- ✓ 112. Munro, E. M. (1994) Corn refining - a classic value-added success story. *Cereal Foods World* 39:552-555
113. Myers, D. J.; Hojilla-Evangelista, M. P.; Johnson, L. A. (1994) Functional properties of protein extracted from flaked, defatted, whole corn by ethanol/alkali during sequential extraction processing. *J. Amer. Oil. Chem. Soc.* 71:1201-1204
114. Nagy, Zambó I. (1988) Complex corn processing of the Szabadegyház Distilling Enterprise. *Szeszipar.* 36:128
115. National Corn Growers Association. (1994) Corn Utilization Conference V Proceedings.
116. National Corn Growers Association. (1996) Corn Utilization Conference VI Proceedings.
117. Neumann, P. E.; Jasberg, B. K.; Wall, J. S. (1984) Uniquely textured products obtained by coextrusion of corn gluten meal and soy flour. *Cereal Chem.* 61:439-445
118. Neumann, P. E.; Wall, J. S.; Walker, C. E. (1983) Effect of processing on the chemistry of wet-milled corn gluten protein. *Cereal Foods World* 28:577
119. Nielsen, H. C.; Inglett, G. E.; Wall, J. S.; Donaldson, G. L. (1973) Corn germ protein isolate - Preliminary studies on preparation and properties. *Cereal Chem.* 50:435-443
120. Nielsen, H. C.; Wall, J. S.; Mueller, J. K.; Warner, K.; Inglett, G. E. (1977) Effect of bound lipid on flavor of protein isolate from corn germ. *Cereal Chem.* 54:503-510
121. Nielsen, H. C.; Wall, J. S.; Inglett, G. E. (1979) Flour containing protein and fiber made from wet-mill corn germ, with potential food use. *Cereal Chem.* 56:144-146
122. Norton, R. A. (1994) Isolation and identification of steryl cinnamic acid derivatives from corn bran. *Cereal Chem.* 71:111-117
123. Olfat, Y. M.; Yaseen, A. A. E.; Aziza, I. A. (1993) Enrichment of macaroni with cellulose derivative protein complex from whey and corn steep liquor. *Nahrung-Food.* 37:544-552
124. O'Palka, J. (1987) Incorporation of dried distillers' grains in baked products. *Proc. Distillers Feed Conf.* 42:47-54
125. O'Palka, J.; Eidet, I.; Abbott, J. (1989) Use of sodium bicarbonate and increased liquid levels in baked products containing sour mash corn dried distillers' grains. *J. Food Sci.* 54:1507-1510
126. Orthoefer, F. T. (1987) Corn starch modification and uses. In: *Corn: Chemistry and Technology*. S. A. Watson and P. E. Ramstad, eds. American Soc. Cereal Chemists, Inc. pp. 479-499
127. Orthoefer, F. T.; Sinram, R. D. (1987) Corn oil: Composition, processing and utilization. In: *Corn: Chemistry and Technology*. S. A. Watson and P. E. Ramstad, eds. American Soc. Cereal Chemists, Inc. pp. 535-551
128. Ott, S. L.; Rask, N. (Aug. 23-29, 1982) The importance of by products on the economics of alcohol production from corn. *Energex '82: a forum on energy self-reliance: conservation, production and consumption*. Conf. Proc. Regina, Sask. F. A. Curtis, ed. pp. 481-484
129. Ott, S. L.; Rask, N. (1983) Importance of by products on the economics of alcohol production from corn. *Energy in*

- Agriculture. Paper presented at Midwest Universities Energy Consortium - Biomass Workshop, Des Moines, IA, USA, 19-20 October 1981; 10 ref. 2:257-266
130. Paik, H. D.; Glatz, B. A. (1994) Propionic-acid production by immobilized cells of a propionate-tolerant strain of *Propionibacterium acidipropionici*. *Appl. Microbiol. Biotech.* 42:22-27
 131. Park, H. J.; Chinnan, M. S. (1995) Gas and water vapor barrier properties of edible films from protein and cellulosic materials. *J. Food Eng.* 25:497-507
 132. Park, H. J.; Bunn, J. M.; Weller, C. L.; Bergano, P. J.; Testin, R. F. (1994) Water vapor permeability and mechanical properties of grain protein-based films as affected by mixtures of polyethylene glycol and glycerin plasticizers. *Trans. ASAE.* 37:1281-1285
 133. Park, H. J.; Chinnan, M. S.; Shewfelt, R. L. (1994) Edible coating effects on storage life and quality of tomatoes. *J. Food Sci.* 59:568-570
 134. Park, H. J.; Chinnan, M. S.; Shewfelt, R. L. (1994) Edible corn zein film coatings to extend storage life of tomatoes. *J. Food Process. Preserv.* 18:317-331
 135. Park, Y. K.; Sato, H. H.; Martin, M. E. S.; Ciacco, C. F. (1987) Production of ethanol from extruded degermed corn grits by a nonconventional fermentation method. *J. Ferment. Technol.* 65:469-474
 136. Phillips, R. D.; Sternberg, M. (1979) Corn protein concentrate: Functional and nutritional properties. *J. Food Sci.* 44:1152-1155, 1161
 137. Polman, K. (1994) Review and analysis of renewable feedstocks for the production of commodity chemicals. Proceedings of the fifteenth symposium on biotechnology for fuels and chemicals, held at Colorado Springs, USA, 10-14 May 1993. *Applied-Biochemistry-and-Biotechnology.-Part-A,-Enzyme-Engineering-and-Biotechnology.* 45-46:709-722
 138. Porro, D.; Brambilla, L.; Ranzi, B. M.; Martegani, E.; Alberghina, L. (1995) Development of metabolically engineered *Saccharomyces cerevisiae* cells for the production of lactic acid. *Biotechnol. Progr.* 11:294-298
 139. Ranhotra, G. S.; Gelroth, J. A.; Torrence, F. A.; Bock, M. A.; Winterringer, G. L.; Bates, L. S. (1982) Nutritional characteristics of distiller's spent grain. By-product from ethanol production, possible uses in human food. *J. Food Sci.* 47: 1184-1185, 1207
 140. Rankin, J. C. (1982) The nonfood uses of corn. *CRC Handbook of Processing and Utilization in Agriculture.* Vol. II, Part 1. Plant Products. I. A. Wolff, ed. Boca Raton, FL.: CRC Press. pp. 63-78
 141. Rasco, B. A.; Dong, F. M.; Hashisaka, A. E.; Gazzaz, S. S.; Downey, S. E.; San Buenaventura, M. L. (1987a) Chemical composition of distillers' dried grains with solubles (DDGS) from soft white wheat, hard red wheat and corn. *J. Food Sci.* 52:236-237
 142. Rasco, B. A.; Downey, S. E.; Dong, F. M.; Ostrander, J. (1987c) Consumer acceptability and color of deep-fried fish coated with wheat or corn distillers' dried grains with solubles (DDGS). *J. Food Sci.* 52:1506-1508
 143. Rasco, B. A.; McBurney, W. J. (May 9, 1989) Human

updated version?

- food product produced from dried distillers' spent cereal grains and solubles. U.S. Patent. 4,828,846
144. Reddy, N. R.; Cooler, F. W.; Pierson, M. D. (1986a) Sensory evaluation of canned meat-based foods supplemented with dried distillers' grain flour. *J. Food Qual.* 9:233-242
 145. Reiners, R. A.; Pressick, J. C.; Warnecke, M. O. (1973) Corn protein concentrate for food use. Presented at the 33rd Annual Meeting of the Institute of Food Technologists, Miami Beach, FL.
 146. Reiners, R. A.; Wall, J. S.; Inglett, G. E. (1973) Corn proteins: potential for their industrial use. In: *Industrial uses of cereals*. Y. Pomeranz, ed. St. Paul, MN.: Amer. Assoc. Cereal Chem. pp. 285-302
 147. Reitmeier, C. A.; Prusa, K. J. (1990) Addition of dry- and wet-milled corn germ flours to model system frankfurters of three fat levels. *J. Food Quality.* 13:283-293
 148. Reitmeier, C. A.; Prusa, K. J. (1991) Composition, cooking loss, color and compression of ground pork with dry- and wet-milled corn germ meals. *J. Food Sci.* 56:206-210
 149. Rendleman, CM; Hohmann, N. (1993) The impact of production innovations in the fuel ethanol industry. *Agribusiness New York.* 9:217-231
 150. Robertson, G. H.; Pavlath, A. E. (1986) Simultaneous water adsorption from ethyl alcohol and oil extraction from corn. *Energy in Agriculture* 5:295-308
 151. Russell, M. H.; Tsao, G. T. (1982) Protein removal from corn endosperm by solvent extraction. *AICHE Symp. Ser.* 78:83
 152. Sadek, M. A. (1995) Utilization of corn gluten meal and soy flour for processing some food items. *Annals Agric. Sci.* 30:435-446
 153. San Buenaventura, M. L.; Dong, F. M.; Rasco, B. A. (1987) The total dietary fiber content of distillers' dried grains with solubles. *Cereal Chem.* 64:135-136
 154. Satterlee, L. D. (1981) Proteins for use in foods. *Food Technol.* 35:53-70
 155. Satterlee, L. D.; Vavak, D. M.; Abdul-kadir, R. (1976) The chemical, functional, and nutritional characterization of protein concentrates from distillers' grains. *Cereal Chem.* 53:739-749
 156. Satterlee, L. D. (1984) Utilization of proteins from biomass byproducts. *Industrial and Engineering Chemistry, Product Research and Development.* 23:278-283
 157. Sauer, H. B.; Compton, J. B. (Feb. 16-18, 1982) Optimizing the by-products credit for distiller's grains in a fuel grade ethanol production process: Kentucky's experience. *Energy technology IX: energy efficiency in the eighties: Proc. 9th Energy Technology Conf.*, Washington, D. C. pp. 1435-1442
 158. Shah, M. M.; Cheryan, M. (1995) Acetate production by *Clostridium thermoaceticum* in corn steep liquor media. *J. Ind. Microbiol.* 15:424-428
 159. Shandera, D. L.; Parkhurst, A. M.; Jackson, D. S. (1995) Interactions of sulfur dioxide, lactic acid, and temperature during simulated corn wet milling. *Cereal Chem.* 72:371-

378

160. Shigemori, I.; Ishizone, H.; Kusano, H.; Mikami, T.; Miura, Y.; Sato, H. (1994) Characteristics of anthocyanin pigment from corn [*Zea mays*] and its stability in several foods. *Res. Bull. Hokkaido National Agric. Exp. Stn. (Japan)*. 159:23-37
161. Shukla, T. P. (1981) Industrial uses of dry-milled corn products. In: *Cereals: A Renewable Resource*. Y. Pomeranz and L. Munck, eds., St. Paul, MN: The American Assoc. of Cereal Chemists. pp. 489-522
162. Simmonds, H.; Orth, R. A. (1973) Structure and composition of cereal proteins as related to their potential industrial utilization. In: *Industrial uses of cereals*. Y. Pomeranz, ed. St. Paul, MN.: Amer. Assoc. Cereal Chem. pp. 51-120
163. Singh, N.; Buriak, P.; Du, L.; Singh, V.; Eckhoff, S. R. (1996) Wet milling characteristics of waxy corn hybrids obtained from different planting locations. *Starch*. 48:335-337
164. Singh, N.; Eckhoff, S. R. (1996) Wet-milling of corn - a review of lab scale and pilot plant scale procedures. *Cereal Chem*. 73:659-667
165. Singh, N.; Eckhoff, S. R. (1995) Hydrocyclone procedure for starch-protein separation in laboratory wet milling. *Cereal Chem*. 72:344-348
166. Singh, S. K.; Johnson, L. A.; Pollak, L. M.; Fox, S. R.; Bailey, T. B. (1997) Comparison of laboratory and pilot-plant corn wet-milling procedures. *Cereal Chem*. 74:40
167. Singh, V.; Eckhoff, S. R. (1996) Effect of soak time, soak temperature, and lactic acid on germ recovery parameters. *Cereal Chem*. 73:716-720
- ✓ 168. Spelman, C. A. (1994) Non food uses of agricultural raw materials: economics, biotechnology and politics. CAB INTERNATIONAL; Wallingford; 152 pp.
169. Steinberg (1987) Production of gluten and germ by ethanol fermentation of raw corn. Report, Illinois Dept. Energy and Natural Resources. pp. 1-78
170. Sternberg, M.; Phillips, R. D.; Daley, L. H. (1980) Maize protein concentrate. In: *Cereals for Food and Beverages, Recent Progress in Cereal Chemistry and Technology*. G. E. Inglett, L. Munck, eds., NY: Academic Press. pp. 275-285
171. Sugawara, M.; Suzuki, T.; Totsuka, A.; Takeuchi, M.; Ueki, K. (1994) Composition of corn hull dietary fiber. *Starch*. 46:335-337
172. Tabor Milling Company (1977) Corn bran fiber flour. *Product Bull.* 800. Kansas City, MO.
173. Taylor, F.; Kurantz, M. J.; Goldberg, N.; Craig, J. C. Jr. (1995) Continuous fermentation and stripping of ethanol. *Biotech. Prog.* 11:693-698
174. Trezza, T. A.; Vergano, P. J. (1994) Grease resistance of corn zein coated paper. *J. Food Sci.* 59:912-915
175. Tsen, C. C. (1980) Cereal germs used in bakery products: Chemistry and nutrition. In: *Cereals for Food and Beverages, Recent Progress in Cereal Chemistry and Technology*. G. E. Inglett, L. Munck, eds., NY: Academic Press. pp. 245-253
176. Tsen, C. C. (1976) Regular and protein fortified cookies

- from composite flours. *Cereal Foods World* 21:633-640
177. Tsen, C. C.; Eyestone, W.; Weber, J. L. (1982) Evaluation of the quality of cookies supplemented with distillers' dried grain flours. *J. Food Sci.* 47:684-685
178. Tsen, C. C.; Mojiban, C. N.; Inglett, G. E. (1974) Defatted corn-germ four as an nutrient fortifier for bread. *Cereal Chem.* 51:262-271
179. Tsen, C. C.; Weber, J. L.; Eyestone, W. (1983) Evaluation of distillers' dried grain flour as a bread ingredient. *Cereal Chem.* 60:295-297
180. Turhollow, A. F.; Heady, E. O. (1986) Large-scale ethanol production from corn and grain sorghum improving conversion technology. *Energy in Agriculture* 5:309-316
181. Vaughn, E. (February 23, 1995) Ethanol: A growing value-added market leading to energy, economic and environmental security.
gopher.zues.esusda.gov/00.feds/usda-info/outlook-95/vaughn.
182. Vuyst, L. de; Vermeire, A. (1994) Use of industrial medium components for xanthan production by *Xanthomonas campestris*. *Appl. Microbiol. Biotechnol.* 42:187-191
183. Vyn, T. J.; Moes, J. (1986) Producing and assessing high quality corn for wet milling in Ontario. Report of Crop Science Department, University of Guelph, Guelph, ON.
184. Walker, C. E. (1980) Distiller's grains: A possible future food source. *Farm, Ranch and Home Quart.* 27:3-5
185. Wall, J. S.; Bothast, R. J.; Lagoda, A. A.; Sexson, K. R.; Wu, Y. V. (1983) Effect of recycling distillers' solubles on alcohol and feed production from corn. *J. Agric. Food Chem.* 31: 770-775
186. Wall, J. S.; Bothast, R. J.; Lagoda, A. A.; Wu, Y. V.; Anderson, R. A.; Sexson, K. R. (1981) Maximizing utilization of distillers foods and other by-products of alcohol production. Presented at the Symposium on Production and Conversion of Bioresources to Energy, Agriculture and Food Division, 181 National Meeting, Amer. Chem. Soc., Atlanta, GA, March 29-April 3.
187. Wall, J. S.; Wu, Y. V.; Warner, K.; Bookwalter, G. N.; Kwolek, W. F.; Gumbmann, M. R. (1983) Corn distillers' grains and other by-products of alcohol production in blended foods. Abst. of paper presented at 68th Ann. Amer. Assoc. Cereal Chem. *Cereal Foods World* 28:578
188. Wall, J. S.; Wu, Y. V.; Kwolek, W. F.; Bookwalter, G. N.; Warner, K. (1984) Corn distillers' grains and other by-products of alcohol production in blended foods. I. Compositional and nutritional studies. *Cereal Chem.* 61:504-509
189. Waller, J. C.; Parsons, M.; Black, J. R.; Steinmetz, L. (1981) The nutritional and economic value of the byproducts of ethanol production from corn. Alcohol and vegetable oil as alternative fuel: proceedings of regional workshops. West Lafayette, Ind. Agricultural Engineering Dept., Purdue University pp. 151-164
190. Waller, J. C.; Parsons, M.; Black, J. R.; Steinmetz, L. (1981) The nutritional and economic value of the byproducts of ethanol production from corn. *Agric. Econ. Staff Pap. Mich. State Univ. Dep. Agric. Econ. East*

- Lansing, Mich. 81-1:14 pp.
191. Waller, JC (1981) Feeding value of ethanol production by products. Tunbridge Wells, UK; Castle House Publications Ltd. 73 pp.
 192. Wampler, D. J.; Gould, W. A. (1984) Utilization of distillers' spent grain in extrusion processed doughs. *J. Food Sci.* 49:1321-1322
 193. Weber, E. J. (1987) Lipids of the kernel. In: *Corn: Chemistry and Technology*. S. A. Watson and P. E. Ramstad, eds. American Soc. Cereal Chemists, Inc. pp. 311-349
 194. Weber, E. J. (1973) Structure and composition of cereal components as related to their potential industrial utilization, lipids. In: *Industrial uses of cereals*. Y. Pomeranz, ed. St. Paul, MN.: Amer. Assoc. Cereal Chem. pp. 161-206
 195. Whalen, P. J.; Shahani, K. M. (1985) Optimization of a process for ethanol production via cofermentation of cheese whey and corn. *Agricultural waste utilization and management. Proceedings of the 5th International Symposium on Agricultural Wastes, 16-17 December, 1985, Chicago, Illinois, USA.* ASAE publication SP 13-85. pp. 29-36
 196. Wilson, C. M. (1987) Proteins of the kernel. In: *Corn: Chemistry and Technology*. S. A. Watson and P. E. Ramstad, eds. American Soc. Cereal Chemists, Inc. pp. 273-310
 197. Wilson, C. M. (1991) Multiple zeins from maize endosperms characterized by reversed-phase high performance liquid chromatography. *Plant Physiol.* 95:777-786
 198. Wong, Y. C.; Herald, T. J.; Hachmeister, K. A. (1996) Evaluation of mechanical and barrier properties of protein coatings on shell eggs. *Poultry Sci.* 75:417-422
 199. Wright, K. N. (1987) Nutritional properties and feeding value of corn and its by-products. In: *Corn: Chemistry and Technology*. S. A. Watson and P. E. Ramstad, eds. American Soc. Cereal Chemists, Inc. pp. 447-478
 200. Wu, Y. V. (1995) Sensory evaluation and composition of tilapia fed diets containing protein rich ethanol coproducts from corn. *J. Aquatic Prod. Technol.*
 201. Wu, Y. V. (1994) Determination of neutral sugars in corn distillers dried grains, corn distillers dried solubles, and corn distillers dried grains with solubles. *J. Agric. Food Chem.* 42: 723-726
 202. Wu, Y. V. (1989) Protein-rich residue from ethanolic fermentation of high-lysine, dent, waxy, and white corn varieties. *Cereal Chem.* 66:506-509
 203. Wu, Y. V. (1988) Recovery of stillage soluble solids from corn and dry-milled corn by high-pressure reverse osmosis and ultrafiltration. *Cereal Chem.* 65:345-348
 204. Wu, Y. V.; Rosati, R. R.; Brown, P. B. (1996) Effect of diets containing various levels of protein and ethanol coproducts from corn on growth of tilapia fry. *J. Agric. Food Chem.* 44:1491-1493
 205. Wu, Y. V.; Friedrich, J. P.; Warner, K. (1990) Evaluation of corn distillers' dried grains defatted with supercritical carbon dioxide. *Cereal Chem.* 6:585-588

206. Wu, Y. V.; King, J. W.; Warner, K. (1994) Evaluation of corn gluten meal extracted with supercritical carbon-dioxide and other solvents - flavour and composition. *Cereal Chem.* 71:217-219
207. Wu, Y. V.; Rosati, R.; Sessa, D. J.; Brown, P. (1995) Evaluation of corn gluten meal as a protein source in tilapia diets. *J. Agric. Food Chem.* 43:1585-1588
208. Wu, Y. V.; Rosati, R.; Sessa, D. J.; Brown, P. (1994) Utilization of protein rich ethanol coproducts from corn in tilapia feed. *J. Amer. Oil Chem. Soc.* 71:1041-1043
209. Wu, Y. V.; Rosati, R.; Sessa, D. J.; Brown, P. (1995) Utilization of corn gluten feed by Nile tilapia. *The Progressive Fish-Culturist* 57:305-309
210. Wu, Y. V.; Sexson, K. R. (1976) Protein concentrate from normal and high-lysine corns by alkaline extraction: Composition and properties. *J. Food Sci.* 41:512
211. Wu, Y. V.; Sexson, K. R.; Wall, J. S. (1981) Protein-rich residue from corn alcohol distillation: Fractionation and characterization. *Cereal Chem.* 58:343-347
212. Wu, Y. V.; Sexson, K. R.; Lagoda, A. A. (1985) Protein rich alcohol fermentation residues from corn dry milled fractions. *Cereal Chem.* 62:470-473
213. Wu, Y. V.; Sexson, K. R.; Wall, J. S. (1983) Reverse osmosis of soluble fraction of corn stillage. *Cereal Chem.* 60:248-251
214. Wu, Y. V.; Sexson, K. R. (1985) Reverse osmosis and ultrafiltration of stillage solubles from dry-milled corn fractions. *J. Amer. Oil Chem. Soc.* 62:92-96
215. Wu, Y. V.; Stringfellow, A. C. (1982) Corn distillers' dried grains with solubles and corn distillers' dried grains: Dry fractionation and composition. *J. Food Sci.* 47:1155-1157, 1180
216. Wu, Y. V.; Stringfellow, A. C. (1986) Simple dry fractionation of corn distillers' dried grains and corn distillers' dried grains with solubles. *Cereal Chem.* 63:60-61
217. Wu, Y. V.; Youngs, V. L.; Warner, K.; Bookwalter, G. N. (1987) Evaluation of spaghetti supplemented with corn distillers' dried grains. *Cereal Chem.* 64:434-436
218. Wyman, C. E.; Goodman, B. J. (1993) Biotechnology for production of fuels, chemicals, and materials from biomass. *Appl. Biochem. Biotechnol.* 39:39-59
219. Yamada, K.; Takahashi, H.; Noguchi, A. (1995) Improved water resistance inedible zein films and composites for biodegradable food packaging. *Int. J. Food Sci. Technol.* 30:599-608
220. Yamaguchi, M. (1996) Preparation of corn peptide from corn-gluten meal. *J. Nutr. Sci. Vitaminology.* 42:219-231
221. Yang, R. D.; Grow, D. A.; Goldstein, W. E. (1981) Pilot plant studies of ethanol production from whole ground corn, corn flour and starch. 182nd Am. Chem. Soc. National Meeting. New York, NY. August 23, 1981.
222. Zayas, J. F. (1994) Corn germ protein: Functional properties in a model system and in food products. *Biotechnol. Agricult. For. Berlin.* 25:513-535
223. Zimlich, J. III (Brown-Forman Corp., Louisville, KY). (1994) Flavored fibre. U.S. Patent No. 5,439,701

Canadian Patents:


1. Caton, D. W.; Pratt, G. W.; Tackaberry, D. O. (1993-05-18) Method of preparing mushroom growing supplements from corn gluten Meal. Patent Number 1,317,780 (Penford Products Co.)
2. Deaton, I. F.; Giesfeldt, J. E.; Todd Repta, R. J. (1994-08-30) Process for producing a high total dietary corn fiber. Patent Number 1,331,715 (CPC International Inc.)
3. Giesfeldt, Todd J.E. (1991-02-05) Process for separating fiber from dry-milled corn. Patent Number 1,279,846 (CPC International Inc.)
4. Oudenne, F.; Troostembergh, J.-C. (1991-08-06) Corn steep liquor. Patent Number 1,287,313 (CPC International Inc.)

U.S. Patents:

1. Barkalow, D. G.; Greenberg, M. J.; McGrew, G. N. (04-06-1993) Tocopherol mixture for use as a mint oil antioxidant in chewing gum. U.S. Patent No. 5,200,214 (Wm. Wrigley Jr. Company)
2. Bento, J. M. A.; Fleming, H. L. (10-05-1993) Membrane-based process for the recovery of lactic acid and glycerol from a corn thin stillage stream. U.S. Patent No. 5,250,182
3. Camburn, P. A. (09-03-1996) Process for solubilising an alpha-glucan containing foodstuff. U.S. Patent No. 5,552,175
4. Caransa, A.; van den Dorpel, J. (11-26-1991) Corn steeping process and apparatus. U.S. Patent No. 5,067,982 (Dorr-Oliver Inc.)
5. Cherukuri, S. R.; Faust, S. M.; Mansukhani, G. (01-08-1991) Reduced and low-calorie sugar and sugarless chewing gum compositions containing fiber. U.S. Patent No. 4,983,405 (Warner-Lambert Company)
6. Cook, R. B.; Mallee, F. M.; Shulman, M. L. (12-03-1996) Purification of zein from corn gluten meal. U.S. Patent No. 5,580,959 (Opta Food Ingredients, Inc.)
7. Cook, R. B.; Mallee, F. M.; Shulman, M. L. (10-19-1993) Purification of zein from corn gluten meal. U.S. Patent No. 5,254,673 (Opta Food Ingredients, Inc.)
8. Etemad-Moghadam, P. (04-18-1995) Method and composition for use on the scalp and eyebrow region of a subject. U.S. Patent No. 5,407,675
9. Farone, W. A.; Cuzens, J. E. (10-08-1996) Method of producing sugars using strong acid hydrolysis of cellulosic and hemicellulosic materials. U.S. Patent No. 5,562,777 (Arkenol, Inc.)
10. Giesfeldt, J. E.; Todd Repta, R. J.; Deaton, I. F. (02-19-1991) Process for producing a high total dietary corn fiber. U.S. Patent No. 4,994,115 (CPC International Inc.)
11. Hastings, C. W. (10-22-1996) Fiber, antioxidant, herbal and enzyme supplemented beverage composition for human consumption. U.S. Patent No. 5,567,424
12. Hobson, J. C.; Anderson, D. A. G. (06-27-1995) Method

- of preparing yeast extract containing hydrolyzed non-yeast protein with yeast autolytic enzymes. U.S. Patent No. 5,427,921 (CPC International Inc.)
13. Inglett, G. E. (01-21-1992) Method of making soluble dietary fiber compositions from cereals. U.S. Patent No. 5,082,673
 14. Inoue, T. (01-11-1994) Hair protection film for cold permanent wave treatment. U.S. Patent No. 5,277,898
 15. Kampen, W. H. (04-25-1995) Recovery of protein, protein isolate and/or starch from cereal grains. U.S. Patent No. 5,410,021 (Energenetics, Inc.)
 16. Katayama, S.; Tsuda, A.; Hanno, K. (12-28-1993) Protein partial degradation products. U.S. Patent No. 5,273,773
 17. Kiebke, T. M. (06-08-1993) Hydrating cat litter and litter additive. U.S. Patent No. 5,216,980
 - 18.
 19. Lee, Y.; Park, S. (01-14-1997) Method of using yeast to recover phytin by precipitation from cornsteep liquor or light steep water. U.S. Patent No. 5,593,855
 20. Lee, C.-Y.; Honeychurch, R. W. (03-30-1993) Corn wet milling process for manufacturing starch. U.S. Patent No. 5,198,035 (Dorr-Oliver Inc.)
 21. Lehnhardt, W. F.; Schanefelt, R. V.; Napier, L. L. (06-20-1995) Process for recovering organic acids. U.S. Patent No. 5,426,219 (A.E. Staley Manufacturing Co.)
 22. Luca, M. (07-21-1992) Nutritional composition containing essential amino acids. U.S. Patent No. 5,132,113
 23. Munson, D.; Lew, C. W.; Gaggero, J. M.; Branly, K. (11-05-1996) Bait with corn germ. U.S. Patent No. 5,571,522
 24. Ramaswamy, S. R. (06-11-1991) Fiber and method of making. U.S. Patent No. 5,023,103 (D. D. Williamson & Co., Inc.)
 25. Reddy, J. A.; Stoker, R. (07-06-1993) Bakery product from distiller's grain. U.S. Patent No. 5,225,228
 26. Rice, W. (03-14-1995) Lotion for hooves. U.S. Patent No. 5,397,565
 27. Sharma, K.; Roos, E. J.; Dunbar, D. M. (07-20-1993) Vegetable oil-based skin permeation enhancer compositions, and associated methods and systems. U.S. Patent No. 5,229,130 (Cygnus Therapeutics Systems)
 28. Takahashi, H.; Yanai, N. (04-23-1996) Process for producing zein. U. S. Patent No. 5,510,463
 29. Thacker, R. S.; Dodgin, B. A. (10-29-1991) Process for the co-production of ethanol and an improved human food product from cereal grains. U.S. Patent No. 5,061,497 (Clovis Grain Processing, Ltd.)
 30. Thaler, I. (01-28-1992) Tooth whitening dentifrice. U.S. Patent No. 5,084,268 (Dental Concepts, Inc.)
 31. Vargas-Garza, H. (11-02-1993) Process for the preparation of chelant organic acids. U.S. Patent No. 5,258,557
 32. Villagran, M. D.; Lanner, D. A.; Toman, L. J.; Mishkin, M. A.; Dawes, N. C. (11-08-1994) Method of production of extruded protein-containing cereal grain-based food products having improved qualities. U.S. Patent No. 5,362,511 (The Procter & Gamble Company)
 33. Wagner, E. C. (04-12-1994) Oral hygiene system. U.S.

- Patent No. 5,302,374 (Dental Concepts Inc.)
34. Willgohs, R. H. (10-08-1996) Process and apparatus for efficiently drying wet-milled corn germ and for processing other materials. U.S. Patent No. 5,561,916 (The French Oil Mill Machinery Company)
 35. Willgohs, R. H. (08-15-1995) Process and apparatus for efficiently drying wet-milled corn germ and for processing other materials. U.S. Patent No. 5,440,823 (The French Oil Mill Machinery Company)
 36. Willgohs, R. H. (03-29-1994) Process and apparatus for efficiently drying wet-milled corn germ and other materials. U.S. Patent No. 5,297,348 (The French Oil Mill Machinery Company)
 37. Wong, V. Y. L.; Theurer, M. D. (07-18-1995) Process for making high protein and/or reduced fat nut spreads and product thereof which have desirable fluidity, texture and flavor. U.S. Patent No. 5,433,970 (The Procter & Gamble Company)
 38. Yamashita, H.; Sugiyama, H. (03-31-1992) Process for the production of mevalonic acid by a strain of *Saccharomycopsis fibuligera*. U.S. Patent No. 5,100,789
-

- [Coproducts of Fuel Ethanol Production](#)
 - [Barley](#)
 - [Oats](#)
 - [Wheat](#)
 - [General Papers](#)
- 

Date Modified: 2003-08-27

[Important Notices](#)