

Table 10: Percentage of fungal infestation at various sampling points in Mill #1 during the third site visit.

Client description: CAMS no: (SML 337)	Silo 20081283	Cleaned Maize 20081284	1st Cond. 20081285	2nd Cond. 20081286	Germ Overs 20081287
<i>Alternaria alternata</i>		4			
<i>Aspergillus candidus</i>			2	2	2
<i>Aspergillus clavatus</i>				2	
<i>Aspergillus flavus</i>		10	4	4	4
<i>Aspergillus niger</i>	6	2		2	
<i>Cladosporium cladosporioides</i>		8			
<i>Eurotium chevalieri</i>		6	8	4	
<i>Eurotium herbariorum</i>					6
<i>Eurotium repens</i>		4	16	10	4
<i>Eurotium rubrum</i>		12	12	6	2
<i>Fusarium (Liseola)</i>	100	76	78	100	96
<i>Mucor spp.</i>		4	48	48	
<i>Nigrospora spp.</i>	2	8		2	
<i>Penicillium spp.</i>		2	2		6
<i>Rhizopus oryzae</i>	8	6	6	16	2
<i>Stenocarpella maydis</i>					4
<i>Trichoderma spp.</i>	6				

Table 10 continued: Percentage of fungal infestation at various sampling points in Mill #1 during the third site visit.

Client description:	Germ Thrus	1st Break	4th Break	Braaipap	Special maize
CAMS no: (SML 337)	20081288	20081289	20081290	20081291	20081292
<i>Acremonium</i> spp.		4		2	
<i>Aspergillus candidus</i>	6	8	2	10	8
<i>Aspergillus clavatus</i>	6		2	4	
<i>Aspergillus flavus</i>	80	6	30	10	88
<i>Aspergillus niger</i>	6	2	2		6
<i>Aspergillus ochraceus</i>					2
<i>Cladosporium cladosporioides</i>		8	10	18	14
<i>Eurotium chevalieri</i>	4		2		4
<i>Eurotium repens</i>			4	6	
<i>Fusarium</i> (<i>Liseola</i>)	100	88	100	100	100
<i>Mucor</i> spp.	62	8	12	16	60
<i>Penicillium</i> spp.	100	40	64	64	74
<i>Rhizopus oryzae</i>	12	12	4	2	2
<i>Stenocarpella maydis</i>	4		10	6	
<i>Trichoderma</i> spp.	16				

Table 10 continued: Percentage of fungal infestation at various sampling points in Mill #1 during the third site visit.

Client description:	Super Maize 20081293	Chop 20081294
<i>Acremonium</i> spp.	4	
<i>Aspergillus candidus</i>	8	4
<i>Aspergillus clavatus</i>	2	
<i>Aspergillus flavus</i>	18	100
<i>Aspergillus niger</i>	2	24
<i>Cladosporium cladosporioides</i>	22	
<i>Eurotium repens</i>	2	
<i>Eurotium rubrum</i>	2	
<i>Fusarium</i> (Liseola)	94	100
<i>Mucor</i> spp.	6	80
<i>Penicillium</i> spp.	20	78
<i>Rhizopus oryzae</i>		36
<i>Stenocarpella maydis</i>	6	

Table 11: Percentage of fungal infestation at various sampling points in Mill # 2 during the first site visit.

Client description: CAMS no: (SML 296)	Silo 20070953	Cleaned Maize 20070954	1 st Cond. 20070955	2 nd Cond. 20070956	Degm Overs 20070957
<i>Acremonium</i> spp.	2				
<i>Alternaria alternata</i>	10	2	6		
<i>Aspergillus clavatus</i>		2	6		12
<i>Aspergillus flavus</i>				2	4
<i>Aspergillus niger</i>	24	8			4
<i>Aspergillus terreus</i>					
<i>Cladosporium cladosporioides</i>	28	8	28		52
<i>Eurotium chevalieri</i>	2				
<i>Eurotium herbarium</i>			2		4
<i>Eurotium repens</i>	2	2	8		
<i>Eurotium rubrum</i>	4	2		6	
<i>Fusarium (Liseola)</i>	28	24	32	100	100
<i>Mucor</i> spp.	12	8	6	66	22
<i>Nigrospora</i> spp.	12	16			6
<i>Penicillium</i> spp.	2	2	8	2	82
<i>Phoma sorghina</i>	2	4	24		2
<i>Rhizopus oryzae</i>	10	6			
<i>Stenocarpella maydis</i>		2			14
<i>Trichoderma</i> spp.	6				

Table 11 continued: Percentage of fungal infestation at various sampling points in Mill # 2 during the first site visit.

Client description: CAMS no: (SML 296)	Degm Thrus 20070958	1 st Break 20070959	2 nd Break 20070960	Super Maize 20070961	Special Maize 20070962
<i>Acremonium</i> spp.		4		4	
<i>Aspergillus clavatus</i>			8	2	
<i>Aspergillus flavus</i>	30		10	2	4
<i>Aspergillus niger</i>	24		4		4
<i>Aspergillus terreus</i>	4		2	2	
<i>Aspergillus versicolor</i>			2		
<i>Cladosporium cladosporioides</i>	34	8	22	42	40
<i>Eurotium chevalieri</i>					4
<i>Eurotium rubrum</i>					4
<i>Fusarium</i> (Liseola)	100	58	100	88	100
<i>Mucor</i> spp.	100	12	8	10	72
<i>Nigrospora</i> spp.	20				24
<i>Penicillium</i> spp.	100	62	74	24	64
<i>Rhizopus oryzae</i>		6			
<i>Stenocarpella maydis</i>			10	4	6
<i>Trichoderma</i> spp.					8

Table 11 continued: Percentage of fungal infestation at various sampling points in Mill # 2 during the first site visit.

Client description:	Samp	Maize Flour	Chop
CAMS no: (SML 296)	20070963	20070964	20070965
<i>Acremonium</i> spp.	4		
<i>Aspergillus flavus</i>		78	82
<i>Aspergillus niger</i>		24	58
<i>Aspergillus terreus</i>	2	4	10
<i>Cladosporium cladosporioides</i>	56		
<i>Eurotium repens</i>	4	4	
<i>Fusarium</i> (<i>Liseola</i>)	20	100	100
<i>Mucor</i> spp.		54	90
<i>Penicillium</i> spp.	12	100	100
<i>Rhizopus oryzae</i>		26	52
<i>Trichoderma</i> spp.		30	30

Table 12: Percentage of fungal infestation at various sampling points in Mill # 2 during the second site visit.

Client description:	Silo	Cleaned Maize	1st Cond.	2nd Cond.	Degm Overs
CAMS no: (SML 332)	20081248	20081249	20081250	20081251	20081252
<i>Acremonium</i> spp.		2	4	2	6
<i>Alternaria alternata</i>		4	1		2
<i>Alternaria candidus</i>			2		
<i>Aspergillus flavus</i>		2		2	4
<i>Aspergillus niger</i>	4				
<i>Aspergillus ochraceus</i>		4			
<i>Aspergillus versicolor</i>	6				
<i>Cladosporium cladosporioides</i>		14			4
<i>Eurotium repens</i>		18	22	26	4
<i>Eurotium rubrum</i>		6	12	24	2
<i>Fusarium (Liseola)</i>	100	20	42	92	46
<i>Fusarium graminearum</i>		2	2		
<i>Geotrichum</i> spp.					8
<i>Mucor</i> spp.		14	24	44	6
<i>Nigrospora</i> spp.	12	24	18		
<i>Penicillium</i> spp.	6	16	20	14	54
<i>Phoma sorghina</i>		4			
<i>Stenocarpella maydis</i>		4		6	6
<i>Trichoderma</i> spp.	6				

Table 12 continued: Percentage of fungal infestation at various sampling points in Mill # 2 during the second site visit.

Client description: CAMS no: (SML 332)	Samp 20081253	1 st Brake 20081255	Degm Thrus 20081254	2 nd Brake 20081256	Special maize 20081257
<i>Acremonium</i> spp.		8			
<i>Alternaria alternata</i>			2		
<i>Aspergillus candidus</i>	4	2			6
<i>Aspergillus flavus</i>	8	6	94		24
<i>Aspergillus niger</i>			6		
<i>Aspergillus terreus</i>			2		2
<i>Aspergillus versicolor</i>	4	2			
<i>Cladosporium cladosporioides</i>	6	14	12	18	4
<i>Eurotium chevalieri</i>	2				
<i>Eurotium repens</i>	4	4	20	6	14
<i>Fusarium</i> (Liseola)	20	68	100	72	100
<i>Fusarium chlamydosporum</i>		2	10	2	4
<i>Fusarium graminearum</i>	2				2
<i>Geotrichum</i> spp.	4	36	22	14	
<i>Mucor</i> spp.	4	8	70	14	42
<i>Penicillium</i> spp.	22	58	100	54	100
<i>Rhizopus oryzae</i>	10	6	6		12
<i>Stenocarpella maydis</i>	6	18	30	10	14

Table 12 continued: Percentage of fungal infestation at various sampling points in Mill # 2 during the second site visit.

Client description:	Super maize 20081258	Maize Flour 20081259	Chop 20081260
<i>Aspergillus candidus</i>	6	4	
<i>Aspergillus clavatus</i>	4		
<i>Aspergillus flavus</i>	6	80	100
<i>Aspergillus niger</i>	2	8	36
<i>Aspergillus ochraceus</i>	2		
<i>Aspergillus terreus</i>		4	
<i>Cladosporium cladosporioides</i>	14		
<i>Eurotium chevalieri</i>	8	8	
<i>Eurotium repens</i>	6	20	
<i>Fusarium (Liseola)</i>	90	100	100
<i>Geotrichum spp.</i>	20		
<i>Mucor spp.</i>	12	6	50
<i>Nigrospora spp.</i>	6		
<i>Penicillium spp.</i>	70	100	100
<i>Rhizopus oryzae</i>	26	86	80
<i>Stenocarpella maydis</i>	10		18
<i>Trichoderma spp.</i>		20	

Table 13: Percentage of fungal infestation at various sampling points in Mill # 2 during the third site visit.

Client description: CAMS no: (SML 344)	Silo 20081320	Cleaned Maize 20081321	1 st Cond. 20081322	2 nd Cond. 20081323	Degm Overs 20081324
<i>Alternaria alternata</i>	4	2	6		
<i>Aspergillus clavatus</i>	2				
<i>Aspergillus flavus</i>	8	2	2	2	82
<i>Aspergillus niger</i>	10	8		12	6
<i>Aspergillus terreus</i>				4	
<i>Aspergillus versicolor</i>		4		2	32
<i>Cladosporium cladosporioides</i>	6		2		4
<i>Eurotium repens</i>	10	8	16	10	24
<i>Eurotium rubrum</i>	14	10	4	10	
<i>Fusarium (Liseola)</i>	34	98	56	100	90
<i>Mucor spp.</i>	24		8	34	20
<i>Nigrospora spp.</i>	8	6	6		
<i>Penicillium spp.</i>	32	34	12	56	100
<i>Rhizopus oryzae2</i>	26	10	34	4	16
<i>Stenocarpella maydis</i>	6				
<i>Trichoderma spp.</i>		86	6	34	

Table 13 continued: Percentage of fungal infestation at various sampling points in Mill # 2 during the third site visit.

Client description: CAMS no: (SML 344)	Degm Thrus 20081325	1 st Brake 20081326	2 nd Brake 20081327	Super maize 20081328	Special maize 20081329
<i>Aspergillus candidus</i>		2			
<i>Aspergillus clavatus</i>		8	100	88	38
<i>Aspergillus flavus</i>	8	4	36	34	36
<i>Aspergillus fumigatus</i>		4			
<i>Aspergillus niger</i>	100	14	8	12	10
<i>Aspergillus ochraceus</i>					2
<i>Aspergillus terreus</i>	4	14			2
<i>Cladosporium cladosporioides</i>		56	4		
<i>Eurotium repens</i>	14	4	26	6	12
<i>Fusarium (Liseola)</i>	100	100	100	100	100
<i>Geotrichum spp.</i>					50
<i>Mucor spp.</i>	88	10	14	18	
<i>Penicillium spp.</i>	100	74	100	100	100
<i>Rhizopus oryzae</i>	14	30	80	88	76
<i>Stenocarpella maydi</i>	8	4			
<i>Trichoderma spp.</i>	52	10		30	

Table 13 continued: Percentage of fungal infestation at various sampling points in Mill # 2 during the third site visit.

Client no: Mill no 2 (3rd visit)	Samp	Maize Flour	Chop
CAMS no: SML 344	20081330	20081331	20081332
<i>Alternaria alternata</i>	2		
<i>Aspergillus clavatus</i>	2	84	
<i>Aspergillus flavus</i>	10	100	60
<i>Aspergillus niger</i>		26	70
<i>Cladosporium cladosporioides</i>	46		
<i>Eurotium repens</i>	6		10
<i>Fusarium (Liseola)</i>	62	100	100
<i>Mucor spp.</i>	14	44	88
<i>Penicillium spp.</i>	70	100	100
<i>Rhizopus oryzae</i>		78	94
<i>Trichoderma spp.</i>	42	8	28

Table 14: Percentage of fungal infestation at various sampling points in Mill # 3 during the first site visit.

Client description: CAMS no: (SML305)	Silo 20071035	Cleaned maize 20071034	1 st Cond. 20071033	2 nd Cond. 20071036	3 rd Cond. 20071037
<i>Acremonium</i> spp.	10	24			
<i>Alternaria alternata</i>					4
<i>Aspergillus candidus</i>					
<i>Aspergillus clavatus</i>					
<i>Aspergillus flavus</i>	4			6	4
<i>Aspergillus niger</i>	2	6	2	2	12
<i>Aspergillus terreus</i>			2		4
<i>Eurotium amstelodami</i>			10	6	4
<i>Eurotium chevalieri</i>	2		2	4	2
<i>Eurotium herbariorum</i>	2		6	4	2
<i>Eurotium repens</i>	4		4	4	10
<i>Eurotium rubrum</i>	26	6	24	24	12
<i>Fusarium (Liseola)</i>	34	26	82	92	68
<i>Fusarium graminearum</i>	2				
<i>Fusarium oxysporum</i>					
<i>Mucor</i> spp.	2	14	20	6	16
<i>Nigrospora</i> spp.	4	22			4
<i>Penicillium</i> spp.			2	8	16
<i>Rhizopus oryzae</i>	6	6	30	8	18
<i>Stenocarpella maydis</i>	2				

Table 14 continued: Percentage of fungal infestation at various sampling points in Mill # 3 during the first site visit.

Client description: CAMS no: (SML305)	Super fine 20071025	Braaipap 20071026	Special maize 20071024	Chop 20071023	Maize rice 20071027
<i>Alternaria alternata</i>					2
<i>Aspergillus clavatus</i>			2		
<i>Aspergillus flavus</i>	16	14	16	50	6
<i>Aspergillus niger</i>	16			32	
<i>Aspergillus ochraceus</i>				2	
<i>Aspergillus terreus</i>	22			72	6
<i>Cladosporium cladosporioides</i>		8			8
<i>Eurotium amstelodami</i>	62	4		6	4
<i>Eurotium chevalieri</i>	36	6			
<i>Eurotium repens</i>	8	6			2
<i>Eurotium rubrum</i>	14			8	
<i>Fusarium (Liseola)</i>	100	70	100	100	68
<i>Fusarium chlamydosporum</i>	8	2	8	6	
<i>Fusarium equiseti</i>	12				
<i>Fusarium graminearum</i>	6				
<i>Geotrichum spp.</i>					10
<i>Mucor spp.</i>	14	12	62	68	12
<i>Penicillium spp.</i>	20	20	100	100	50
<i>Rhizopus oryzae</i>			18	48	
<i>Stenocarpella maydis</i>	4	4			6
<i>Trichoderma virens</i>					4

Table 14 continued: Percentage of fungal infestation at various sampling points in Mill # 3 during the first site visit.

Client description: CAMS no: (SML305)	Super maize 20071022	3 rd Break 20071029	Degm Thrus 20071030
<i>Alternaria alternata</i>			
<i>Aspergillus clavatus</i>			
<i>Aspergillus flavus</i>	2	12	90
<i>Aspergillus niger</i>			100
<i>Aspergillus ochraceus</i>			
<i>Aspergillus terreus</i>	2	8	96
<i>Cladosporium cladosporioides</i>	48		100
<i>Eurotium amstelodami</i>		22	
<i>Eurotium chevalieri</i>		10	
<i>Eurotium repens</i>			42
<i>Eurotium rubrum</i>	2	6	60
<i>Fusarium (Liseola)</i>	100	90	100
<i>Fusarium chlamydosporum</i>	14		4
<i>Fusarium equiseti</i>		2	2
<i>Fusarium graminearum</i>	14		
<i>Geotrichum spp.</i>		2	
<i>Mucor spp.</i>	94	2	100
<i>Penicillium spp.</i>	76	78	100
<i>Rhizopus oryzae</i>			40
<i>Stenocarpella maydis</i>		8	8
<i>Trichoderma virens</i>			

Table 15: Percentage of fungal infestation at various sampling points in Mill # 3 during the second site visit.

Client description:	Silo	Cleaned Maize	1st Cond.	2nd Cond.	3rd Cond.
CAMS no: (SML 325)	20071125	20071126	20071127	20071128	20071129
<i>Alternaria alternata</i>	2				
<i>Aspergillus flavus</i>				14	10
<i>Aspergillus niger</i>			2	4	
<i>Cladosporium cladosporioides</i>		2			
<i>Eurotium repens</i>	10	6	4	4	
<i>Eurotium rubrum</i>	4	2	10		
<i>Fusarium (Liseola)</i>	82	54	80	78	70
<i>Mucor spp.</i>	72	58	70	78	80
<i>Nigrospora spp.</i>	4	4	12	6	16
<i>Penicillium spp.</i>	10	2	6	8	
<i>Phoma sorghina</i>		2			
<i>Rhizopus oryzae</i>	16	6			
<i>Stenocarpella maydis</i>	2	2			10

Table 15 continued: Percentage of fungal infestation at various sampling points in Mill # 3 during the second site visit.

Client description:	Degm Overs	Degm Thrus	3rd Break	Braaipap	Special maize
CAMS no: (SML 325)	20071130	20071131	20071132	20071133	20071134
<i>Acremonium</i> spp.				6	
<i>Alternaria alternata</i>				2	
<i>Aspergillus candidus</i>	2	18	4	6	
<i>Aspergillus clavatus</i>			2	4	2
<i>Aspergillus flavus</i>	98	100	22	6	48
<i>Aspergillus niger</i>		8			8
<i>Aspergillus ochraceus</i>		2			
<i>Aspergillus terreus</i>		38		2	10
<i>Cladosporium cladosporioides</i>		42	12	4	6
<i>Eurotium amstelodami</i>			2		
<i>Eurotium chevalieri</i>	2			2	
<i>Eurotium repens</i>	6		4		
<i>Fusarium (Liseola)</i>	56	100	54	44	100
<i>Fusarium chlamydosporum</i>		8			
<i>Fusarium graminearum</i>			4	6	4
<i>Geotrichum</i> spp.			2		
<i>Mucor</i> spp.	66	100	28	12	48
<i>Nigrospora</i> spp.				10	
<i>Penicillium</i> spp.	6	70	44	22	84
<i>Rhizopus oryzae</i>		100	2	6	24
<i>Stenocarpella maydis</i>			30	10	

Table 15 continued: Percentage of fungal infestation at various sampling points in Mill # 3 during the second site visit.

Client description: CAMS no: (SML 325)	Super maize 20071135	Super fine 20071136	Maize rice 20071137
<i>Alternaria alternata</i>		8	
<i>Aspergillus candidus</i>		14	4
<i>Aspergillus clavatus</i>	2	2	
<i>Aspergillus flavus</i>	6	16	12
<i>Aspergillus niger</i>		4	
<i>Aspergillus ochraceus</i>	2		
<i>Aspergillus terreus</i>	2		4
<i>Cladosporium cladosporioides</i>	6	10	12
<i>Eurotium amstelodami</i>			
<i>Eurotium chevalieri</i>			4
<i>Eurotium repens</i>	16	2	6
<i>Fusarium (Liseola)</i>	64	100	66
<i>Fusarium chlamydosporum</i>	4	10	6
<i>Fusarium graminearum</i>	2	4	
<i>Mucor spp.</i>	30	30	22
<i>Nigrospora spp.</i>		2	4
<i>Penicillium spp.</i>	52	52	44
<i>Rhizopus oryzae</i>	2	14	12
<i>Stenocarpella maydis</i>	16	8	6

Table 15 continued: Percentage of fungal infestation at various sampling points in Mill # 3 during the second site visit.

Client description:	Samp	Chop	1 st Break
CAMS no: (SML 325)	20071138	20071139	20071140
<i>Acremonium</i> spp.	4		4
<i>Aspergillus candidus</i>		6	
<i>Aspergillus clavatus</i>	2		
<i>Aspergillus flavus</i>	4	98	6
<i>Aspergillus niger</i>		18	
<i>Aspergillus terreus</i>	2	22	4
<i>Eurotium chevalieri</i>	2		
<i>Eurotium repens</i>	4	18	
<i>Fusarium</i> (Liseola)	16	100	12
<i>Fusarium chlamydosporum</i>		2	
<i>Mucor</i> spp.	18	66	6
<i>Nigrospora</i> spp.	2		
<i>Penicillium</i> spp.	12	100	14
<i>Rhizopus oryzae</i>		52	
<i>Stenocarpella maydis</i>	10		

Table 16: Percentage of fungal infestation at various sampling points in Mill # 3 during the third site visit.

Client description: CAMS no: (SML 340)	Silo 20081299	Cleaned Maize 20081300	1 st Cond. 20081301	2 nd Cond. 20081302	3 rd Cond. 20081303
<i>Acremonium</i> spp.				6	8
<i>Alternaria alternata</i>	10	24	30	4	6
<i>Aspergillus candidus</i>					4
<i>Aspergillus flavus</i>					6
<i>Aspergillus niger</i>		4		4	4
<i>Aspergillus ochraceus</i>		2	2		
<i>Cladosporium cladosporioides</i>	8	4	14		
<i>Eurotium chevalieri</i>				6	
<i>Eurotium repens</i>	30	32	10	34	22
<i>Eurotium rubrum</i>	8	14	6	10	18
<i>Fusarium (Liseola)</i>	48	36	58	50	72
<i>Mucor</i> spp.	16	8	6	52	38
<i>Nigrospora</i> spp.	18	24	42	30	20
<i>Penicillium</i> spp.	10	6	4	14	16
<i>Phoma sorghina</i>			18	24	16
<i>Rhizopus oryzae</i>	2				4
<i>Stenocarpella maydis</i>	8	8	14	6	6
<i>Trichoderma</i> spp.	18	24	20	10	

Table 16 continued: Percentage of fungal infestation at various sampling points in Mill # 3 during the third site visit.

Client description: CAMS no: (SML 340)	Germ Overs 20081304	Germ Thrus 20081305	1 st Break 20081306	3 rd Break 20081307	Braaipap 20081308
<i>Acremonium</i> spp.	8		4		
<i>Alternaria alternata</i>	4	2			
<i>Aspergillus candidus</i>	4	8	8		20
<i>Aspergillus clavatus</i>			6		
<i>Aspergillus flavus</i>	34	50	18	20	4
<i>Aspergillus niger</i>	2		2		4
<i>Aspergillus terreus</i>	2			4	2
<i>Cladosporium cladosporioides</i>		32	8	8	6
<i>Eurotium chevalieri</i>	22		10	6	
<i>Eurotium repens</i>	36	6	4		6
<i>Eurotium rubrum</i>			2		
<i>Fusarium (Liseola)</i>	68	100	50	96	98
<i>Mucor</i> spp.	24	68	6	4	8
<i>Nigrospora</i> spp.					6
<i>Penicillium</i> spp.	18	100	16	50	40
<i>Phoma sorghina</i>	4		4		2
<i>Rhizopus oryzae</i>		48	6	6	
<i>Stenocarpella maydis</i>				4	
<i>Trichoderma</i> spp.		14			

Table 16 continued: Percentage of fungal infestation at various sampling points in Mill # 3 during the third site visit.

Client description: CAMS no: (SML 340)	Special maize 20081309	Super maize 20081310	Super fine 20081311	Maize rice 20081312	Samp 20081313
<i>Alternaria alternata</i>	2				2
<i>Aspergillus candidus</i>		4		2	2
<i>Aspergillus clavatus</i>	24	6	16	2	2
<i>Aspergillus flavus</i>	40	14	18	28	2
<i>Aspergillus niger</i>	22		2	2	
<i>Cladosporium cladosporioides</i>		10	4	10	2
<i>Eurotium chevalieri</i>		2		8	
<i>Eurotium repens</i>	4	2	14	12	4
<i>Fusarium (Liseola)</i>	98	88	98	96	14
<i>Mucor spp.</i>	50	34	32	14	6
<i>Penicillium spp.</i>	100	42	72	32	10
<i>Phoma sorghina</i>			4		
<i>Rhizopus oryzae</i>	26			12	
<i>Stenocarpella maydis</i>		2	6		

Table 16 continued: Percentage of fungal infestation at various sampling points in Mill # 3 during the third site visit.

Client description:	Chop
CAMS no: (SML 340)	20081314
<i>Alternaria alternata</i>	8
<i>Aspergillus candidus</i>	6
<i>Aspergillus clavatus</i>	10
<i>Aspergillus flavus</i>	76
<i>Aspergillus niger</i>	10
<i>Aspergillus terreus</i>	8
<i>Cladosporium cladosporioides</i>	16
<i>Eurotium repens</i>	12
<i>Eurotium rubrum</i>	4
<i>Fusarium (Liseola)</i>	100
<i>Mucor spp.</i>	74
<i>Penicillium spp.</i>	100
<i>Rhizopus oryzae</i>	64
<i>Trichoderma spp.</i>	18

Table 17: Percentage of fungal infestation at various sampling points in Mill # 4 during the first site visit.

Client description: CAMS no: (SML 317)	Silo 20071062	Cleaned Maize 20071063	1 st Cond. 20071064	2 nd Cond. 20071065	Degm Overs 20071066
<i>Acremonium</i> spp.	12	24	2	10	16
<i>Alternaria alternata</i>	12	2			
<i>Aspergillus flavus</i>	4	6	2	4	2
<i>Aspergillus niger</i>	24	4	6	2	2
<i>Aureobasidium pullulans</i>	42	6			
<i>Cladosporium cladosporioides</i>	22	10			2
<i>Eurotium chevalieri</i>	4	4	20	8	
<i>Eurotium repens</i>	32	32	8	4	
<i>Fusarium rubrum</i>	4	8	14		
<i>Fusarium (Liseola)</i>	12	16	46	82	38
<i>Fusarium chlamydosporum</i>					2
<i>Fusarium graminearum</i>	2				
<i>Mucor</i> spp.	2	4	38	52	4
<i>Nigrospora</i> spp.	6	38	6		
<i>Penicillium</i> spp.	10	8	4	6	12
<i>Phoma sorghina</i>	86	2	8		
<i>Rhizopus oryzae</i>	6	16	42	20	

Table 17 continued: Percentage of fungal infestation at various sampling points in Mill # 4 during the first site visit.

Client description: CAMS no: (SML 317)	Degm Thrus: 20071067	1 st Ground 20071069	1 st Break 20071068	3 rd Break 20071070	3 rd Break 20071071
<i>Acremonium</i> spp.			4	6	6
<i>Alternaria alternata</i>		2			
<i>Aspergillus clavatus</i>		2	2		
<i>Aspergillus flavus</i>	12	12		4	2
<i>Aspergillus niger</i>	2		2		
<i>Aspergillus terreus</i>	6				
<i>Cladosporium cladosporioides</i>	100	30	48	10	8
<i>Eurotium chevalieri</i>		2	2		2
<i>Eurotium repens</i>	100	18	10	6	4
<i>Fusarium rubrum</i>			4	2	2
<i>Fusarium (Liseola)</i>	100	100	80	22	22
<i>Fusarium chlamyosporum</i>		16		2	2
<i>Fusarium graminearum</i>	4	2			
<i>Geotrichum</i> spp.	96	80	10	4	2
<i>Mucor</i> spp.	20	38	14	2	4
<i>Penicillium</i> spp.	100	72	32	16	14
<i>Rhizopus oryzae</i>	12				
<i>Stenocarpella maydis</i>		38	10	4	10
<i>Trichoderma</i> spp.	32	8	6		6
<i>Streptomyces</i> spp.			10		4

Table 17 continued: Percentage of fungal infestation at various sampling points in Mill # 4 during the first site visit.

Client description:	Special maize 20071072	Super maize 20071073	Maize flour 20071074	Chop 20071075
CAMS no: (SML 317)				
<i>Acremonium</i> spp.		4		
<i>Alternaria alternata</i>	2			
<i>Aspergillus flavus</i>	12		6	100
<i>Aspergillus niger</i>	2			34
<i>Aspergillus ochraceus</i>				2
<i>Aspergillus terreus</i>	4			
<i>Cladosporium cladosporioides</i>	8	2	14	
<i>Eurotium chevalieri</i>	2		4	
<i>Eurotium repens</i>	6		4	2
<i>Fusarium rubrum</i>		2	2	
<i>Fusarium (Liseola)</i>	100	22	94	100
<i>Fusarium chlamydosporum</i>	6		18	8
<i>Fusarium graminearum</i>		2		
<i>Geotrichum</i> spp.	6			
<i>Mucor</i> spp.	14		10	2
<i>Penicillium</i> spp.	100	8	44	80
<i>Phoma sorghina</i>			2	
<i>Rhizopus oryzae</i>				12
<i>Stenocarpella maydis</i>	12	8	18	14
<i>Trichoderma</i> spp.	14		12	

Table 18: Percentage of fungal infestation at various sampling points in Mill # 4 during the second site visit.

Client description:	Silo	Cleaned Maize	1st Cond.	2nd Cond.	Degm Overs
CAMS no: (SML 331)	20081235	20081236	20081237	20081238	20081239
<i>Alternaria alternata</i>			2		2
<i>Aspergillus clavatus</i>			2		
<i>Aspergillus flavus</i>			4	4	2
<i>Aspergillus niger</i>			2	2	2
<i>Aspergillus terreus</i>				2	2
<i>Eurotium chevalieri</i>			4		
<i>Eurotium repens</i>		2	4	2	2
<i>Fusarium rubrum</i>		8	2		
<i>Fusarium (Liseola)</i>	36	12	100	100	62
<i>Fusarium chlamydosporum</i>				2	
<i>Fusarium graminearum</i>	6	2			
<i>Geotrichum spp.</i>					22
<i>Mucor spp.</i>	64	2	100	100	80
<i>Nigrospora spp.</i>		90	52	62	70
<i>Penicillium spp.</i>	2		4	12	14
<i>Rhizopus oryzae</i>		2	26	8	

Table 18 continued: Percentage of fungal infestation at various sampling points in Mill # 4 during the second site visit.

Client description:	Degm Thrus	1 st Break	1 st Ground	3 rd Break	Special maize
CAMS no: (SML 331)	20081240	20081241	20081242	20081243	20081244
<i>Acremonium</i> spp.		24		22	
<i>Alternaria alternata</i>	4		2		
<i>Aspergillus flavus</i>	80	2	24	4	16
<i>Aspergillus niger</i>	12		2		20
<i>Aspergillus ochraceus</i>	2				
<i>Aspergillus terreus</i>	24	2	8		2
<i>Aureobesidium pullulans</i>				2	
<i>Cladosporium cladosporioides</i>		26	46	16	
<i>Eurotium repens</i>				2	4
<i>Fusarium (Liseola)</i>	100	78	100	48	100
<i>Fusarium chlamydosporum</i>	10	4	12	2	16
<i>Fusarium graminearum</i>	4			2	
<i>Geotrichum</i> spp.			38	14	22
<i>Mucor</i> spp.	100	44	86	8	64
<i>Nigrospora</i> spp.	56	70	74	16	34
<i>Penicillium</i> spp.	100	8	90	42	96
<i>Rhizopus oryzae</i>	34		26		
<i>Stenocarpella maydis</i>		10	4		

Table 18 continued: Percentage of fungal infestation at various sampling points in Mill # 4 during the second site visit.

Client description:	Super 20081245	Maize flour 20081246	Chop 20081247
<i>Aspergillus clavatus</i>	4		
<i>Aspergillus flavus</i>	8	26	58
<i>Aspergillus fumigatus</i>	4		
<i>Aspergillus niger</i>	2	8	4
<i>Aspergillus terreus</i>			18
<i>Eurotium rubrum</i>			2
<i>Fusarium (Liseola)</i>	30	92	100
<i>Fusarium chlamydosporum</i>		6	6
<i>Mucor</i> spp.	2	38	24
<i>Nigrospora</i> spp.	2	8	18
<i>Penicillium</i> spp.	100	100	100
<i>Rhizopus oryzae</i>	22	36	76
<i>Stenocarpella maydis</i>	6		